COLYTE/TRILYTE/PEG-3350 PREP INSTRUCTIONS

You are scheduled on with Dr.

Be at the marked location by AM / PM Plan to be at the facility for approximately 3 hours.

You will be sedated and **MUST** bring someone over the age of 18 years old to **stay** with you and drive you home safely. No one will be allowed to Uber/Lyft/Taxi/bus, unless accompanied by a responsible

adult. Please note that you cannot drive for 24hours after anesthesia.

MEDICATIONS:

- If you are taking ANY blood thinners, i.e. Coumadin (Warfarin), Plavix, Pradaxa, Pletal, Eliquis, Effient, Xarelto, Brilinta, call our office for instructions on the possibility of stopping the medicine.
- You MUST take your Blood Pressure, Heart, Seizure, Parkinson's, Asthma or Myasthenia Gravis medications (if normally taken in the morning) 4 hours before your procedure, with a small sip of water.
 - All other medications can be taken after the procedure.
- If you take any dosage of Aspirin DO NOT STOP TAKING IT! Continue as normal.
- Unless specified below, continue your medications like normal.
- For INSULIN dependent patients please call the doctor that controls your diabetes for instructions.

ONE WEEK PRIOR:

Stop taking Ozempic/Wegovy/Mounjaro/Semaglutide

FIVE DAYS PRIOR:

- Stop any Iron pills, Pepto-Bismol, Fish Oil, Vitamin E and/or Herbal Medicine.
- **Stop** any diet/appetite suppressants, such as phentermine.
- Stop taking any ADHD/ADD medications i.e., Adderall/Vyvanse, if your body allows you to stop this medication.

ONE DAY PRIOR:

- Avoid using un-prescribed recreational/street drug(s) including marijuana.
- **DO NOT** take any **ORAL** Diabetic medication.

IF YOU ARE SICK, have ANY cold symptoms, taking antibiotics, pending Heart/Pulmonary testing, or have any major changes in your medical history – Please Call Our Office Immediately for Instruction.

1 DAY PRIOR to your procedure, consume only a CLEAR LIQUID DIET. A clear liquid diet consists only of liquids that you are able to read a newspaper through. NO SOLID FOODS! No alcohol, milk/milk products, or non-dairy creamers. NO RED OR PURPLE!

CLEAR LIQUID DIET INCLUDES (limiting yourself to only water will make you nauseous/vomit when starting prep):

- Water, mineral water
- Clear fruit juices without pulp (apple, white grape, white cranberry, lemonade, etc.)
- · Clear carbonated and non-carbonated soft drinks
- Sports drinks (Gatorade, Powerade), Pedialyte and/or Ensure Clear
- Broth (chicken, beef, vegetable, or bone broth)
- Popsicles, Sorbets, or gelatin (such as Jell-O)
- Coffee or tea (without milk or cream; sugar is okay)

FINANCIAL POLICY: Any Co-pay and/or Deductibles will be collected at the time of service.

Please call our billing department for further assistance at 407.896.1726 ext. 405, prior to the procedure date.

COLYTE/TRILYTE/PEG-3350 PREP INSTRUCTIONS



YOUR PREPARATION – Colyte/Trilyte/Gavilyte/PEG-3350

Fill your prescription for PEG-3350/COLYTE/GOLYTELY, at least (5) days prior to your test. (Keep in room temperature).

• You will receive one, 4-liter container with powdered bowel preparation. Do not follow the instructions that are provided by the pharmacy.

PREPARING YOUR BOWEL PREPARATION

Fill the bottle with water to the indicated line on the side of the bottle. Shake vigorously and refrigerate until ready to drink.

DRINKING YOUR BOWEL PREPARATION

• At 5:00PM the day before your procedure, Shake vigorously again and start drinking 8oz of the solution every 15-20 minutes until finished. DO NOT CHUG. You may flavor each cup with Crystal Light.





STAY HYDRATED with at least 12 tall glasses (about 8-10 ounces each) of clear liquids throughout the evening, in addition to what you drink with your bowel prep medication, to prevent dehydration.



4HOURS BEFORE your procedure, you should **STOP DRINKING ALL CLEAR LIQUIDS**. This means that you should not have anything by mouth 4 hours before your colonoscopy and onward. This includes no breath spray, candy, gum, mints. You may brush your teeth.

**FAILING TO FOLLOW INSTRUCTIONS WILL RESULT IN CANCELLING OF YOUR PROCEDURE (fee applies) ** WE REQUIRE A <u>48 HOUR NOTICE FOR ANY CANCELLATIONS</u> TO AVOID A \$150 CHARGE

	CENTER FOR DIGESTIVE ENDOSCOPY 1817 N MILLS AVE ORLANDO, FL 32803		ADVENT HEALTH ORLANDO 601 E ROLLINS ST ORLANDO, FL 32803
	SUMMERPORT SURGERY CENTER 5151 WINTER GARDEN VINELAND RD STE 108 WINDEREMERE, FL 34786		ADVENT HEALTH, HEALTH VILLAGE 2415 N ORANGE AVE STE 201 ORLANDO, FL 32804
	ADVENT HEALTH WINTER GARDEN ASC 2000 FOWLER GROVE BLVD WINTER GARDEN, FL 34787		ORLANDO HEALTH 52 W UNDERWOOD ST ORLANDO, FL 32806
	SOUTH LAKE ENDOSCOPY 2040 OAKLEY SEAVER DR CLERMONT, FL 34711		
PATIENT SIGNATURE: DATE:			

Updated 5/2024