at the marked location by	AM / PM	Plan to be at the facility for approximately 3 hours.
	lowed to Uber/Lyft/Taxi/bus, u	age of 18 years old to <b>stay</b> with you and drive you home Inless accompanied by a responsible adult. Please note 24hours after anesthesia.
MEDICATIONS:		
Brilinta, call ou You <u>MUST</u> tak normally take O All ot If you take any Unless specifie For INSULIN d ONE WEEK PR Stop tak FIVE DAYS PRIOR:	ar office for instructions on the pole e your Blood Pressure, Heart, Sei in in the morning) <u>4 hours before</u> ther medications can be taken aft dosage of Aspirin – <b>DO NOT STO</b> ad below, continue your medicati ependent patients – please call t IOR:	DP TAKING IT! Continue as normal. ions like normal. <u>he doctor that controls your diabetes for instructions.</u> ovy/Mounjaro/Semaglutide
• • •	appetite suppressants, such as pl y ADHD/ADD medications i.e., Ac	hentermine. dderall/Vyvanse, if your body allows you to stop this medication.
DO NOT take a     IF YOU ARE SIC		drug(s) including marijuana. ng antibiotics, pending Heart/Pulmonary testing, or have any Our Office Immediately for Instruction.
	•	JID DIET. A clear liquid diet consists only of liquids that you are able nilk/milk products, or non-dairy creamers. <u>NO RED OR PURPLE</u>
CLEAR LIQUID DI	T INCLUDES (limiting yourself to on	ly water will make you nauseous/vomit when starting prep):
<ul> <li>Clear carb</li> <li>Sports dri</li> <li>Broth (chi</li> <li>Popsicles,</li> </ul>	neral water juices without pulp (apple, white gra onated and non-carbonated soft drir nks (Gatorade, Powerade), Pedialyte cken, beef, vegetable, or bone broth) Sorbets, or gelatin (such as Jell-O) ea (without milk or cream; sugar is o	nks and/or Ensure Clear

# **MIRALAX & Dulcolax PREP INSTRUCTIONS**



#### **YOUR PREPARATION - MiraLAX/Gatorade**

#### Purchase these items ahead of time (no prescriptions required)

- Five, 5mg Dulcolax tablets (LAXATIVE, NOT STOOL SOFTENER)
- One, 238g/8.3 oz. bottle of MiraLAX
- 64 oz. of Gatorade (no red or purple flavors)

#### PREPARING YOUR BOWEL PREPARATION

- Mix the bottle of MiraLAX in to 64 oz. of Gatorade.
- Shake until the MiraLAX is dissolved and refrigerate until you are ready to drink.

## **DRINKING YOUR BOWEL PREPARATION**

### The day before: START a clear liquid diet upon waking

- At 1:00PM the day before your procedure, take three (3) Dulcolax tablets.
   Drink with 8 oz of any clear liquid.
- At 3:00PM begin drinking 8 oz of prep mixture every 15-20 minutes, until mixture is finished.
   Continue to drink clear liquids.
- At 7:00PM take two (2) Dulcolax tablets. Drink with 8 oz of any clear liquid.

Murauk		Z
	Spor Drin	rts ik
	1	
		J

**STAY HYDRATED** with at least 12 tall glasses (about 8-10 ounces each) of clear liquids throughout the evening, in addition to what you drink with your bowel prep medication, to prevent dehydration.

<

**4HOURS BEFORE** your procedure, you should **STOP DRINKING ALL CLEAR LIQUIDS**. This means that you should not have anything by mouth 4 hours before your colonoscopy and onward. This includes no breath spray, candy, gum, mints. You may brush your teeth.

**FAILING TO FOLLOW INSTRUCTIONS WILL RESULT IN CANCELLING OF YOUR PROCEDURE (fee applies) ** WE REQUIRE A <u>48 HOUR NOTICE FOR ANY CANCELLATIONS</u> TO AVOID A \$150 CHARGE				
CENTER FOR DIGESTIVE ENDOSCOPY 1817 N MILLS AVE ORLANDO, FL 32803 SUMMERPORT SURGERY CENTER 5151 WINTER GARDEN VINELAND RD STE 108 WINDEREMERE, FL 34786	ADVENT HEALTH ORLANDO 601 E ROLLINS ST ORLANDO, FL 32803 ADVENT HEALTH, HEALTH VILLAGE 2415 N ORANGE AVE STE 201 ORLANDO, FL 32804			
ADVENT HEALTH WINTER GARDEN ASC 2000 FOWLER GROVE BLVD WINTER GARDEN, FL 34787 SOUTH LAKE ENDOSCOPY 2040 OAKLEY SEAVER DR CLERMONT, FL 34711	ORLANDO HEALTH 52 W UNDERWOOD ST ORLANDO, FL 32806			
PATIENT SIGNATURE:	DATE:			